

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"5940507".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 10:42
S1	0	"strong cipher block"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 10:42
S2	0	tiple near des	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/19 13:16
S3	233	(triple near des) and aes	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/19 13:16
S4	91	((triple near des) and aes) and ("back up" or backup or back-up)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/19 13:36
S5	2	((triple near des) and aes) and ("user name" or username)) and (compress\$3 near file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/19 13:36
S6	36	((triple near des) and aes) and ("user name" or username)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/19 13:46
S7	12	((triple near des) and aes) and (compress\$2 near file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/19 13:48
S8	590	(des or aes) and ("user name" or username) and address and time and date and (backup or "back up" or back-up)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/19 13:52

S9	229	((des or aes) and ("user name" or username) and address and time and date and (backup or "back up" or back-up)) and compression	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/19 13:53
S10	10	((des or aes) and ("user name" or username) and address and time and date and (backup or "back up" or back-up)) and compression) and hmac	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/19 13:50
S11	590	(" des " or " aes ") and ("user name" or username) and address and time and date and (backup or "back up" or back-up)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/19 13:52
S12	229	(" des " or " aes ") and ("user name" or username) and address and time and date and (backup or "back up" or back-up)) and compression	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/19 16:20
S13	1	(" des " or " aes ") and ("user name" or username) and address and time and date and (backup or "back up" or back-up)) and compression and ("128 bits" near key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/19 16:23
S14	77	(" des " or " aes ") and (backup or "back up" or back-up)) and compression and ("128 bits" near key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/19 16:33
S15	122	AES AND ((TIPLE NEAR DES) OR TRIPLE-DES)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/19 16:34
S16	86	(AES AND ((TIPLE NEAR DES) OR TRIPLE-DES)) AND ((128-BITS) OR "128 BITS")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/20 14:39
S17	3	"6199162".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/20 14:41
S18	1326	key same "128 bits"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/20 14:42

S19	1	(key same "128 bits") and (encrypt\$3 near (compressed near file))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/20 14:42
S20	1326	key same (128-bit or 128-bits or "128 bits")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/20 14:43
S21	3	(key same (128-bit or 128-bits or "128 bits")) and "strong block cipher"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/20 16:39
S22	248	(add\$3 same (authentication near code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/20 16:45
S23	23	((add\$3 same (authentication near code))) and ((first and second near key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/20 16:52
S24	8	((((add\$3 same (authentication near code))) and ((first and second near key)) and (passphrase or pin)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 10:13
S25	8	((((add\$3 same (authentication near code))) and ((first and second near key)) and ("pass phrase" or passphrase or pin)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 10:16
S26	0	(((((add\$3 same (authentication near code))) and ((first and second near key)) and ("pass phrase" or passphrase or pin)) and User-provided	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 10:15
S27	8	((first and second) near key) and ((user-provided or "user provided" or user-defined or "user defined") same ("pass phrase" or passphrase or pin))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 10:20
S28	9	ashe and pin and atm	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 10:38

S29	0	ashe.in. and pin and atm	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 10:39
S30	331	ashe.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 10:39
S31	26	ashe.in. and pin	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 10:39
S32	335800	AES AND DES	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 10:50
S33	4	(AES AND DES) and header and username and (compressed near file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 11:22
S34	2	"5659614".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 11:47
S35	222	(bundle or packet) same (compressed near10 files)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 13:05
S36	42	((bundle or packet) same (compressed near10 files)) and (password or passphrase or "pass phrase")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 11:49
S37	3	((bundle or packet) same (compressed near10 files)) and (dynamic same key) and encryption	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 13:06
S38	0	((bundle or packet) same (compressed near10 files)) and (user-defined same key) and encryption	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 13:08

S39	3	((bundle or packet) same (compressed near10 files)) and ((generat\$3 near10 key) same (password passcode passphrase))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 13:12
S40	209	(back-up or "back up" or backup) and ((generat\$3 near10 key) same (password passcode passphrase))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 13:13
S41	165	((back-up or "back up" or backup) and ((generat\$3 near10 key) same (password passcode passphrase))) and (encrypt\$3 near5 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 13:13
S42	0	((back-up or "back up" or backup) and ((generat\$3 near10 key) same (password passcode passphrase))) and (encrypt\$3 near5 key)) and (transmit\$3 near10 "compressed files")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 13:15
S43	0	((back-up or "back up" or backup) and ((generat\$3 near10 key) same (password passcode passphrase))) and (encrypt\$3 near5 key)) and ((packag\$3 or pecketiz\$3) near10 "compressed files")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 13:15
S44	23	((back-up or "back up" or backup) and ((generat\$3 near10 key) same (password passcode passphrase))) and (encrypt\$3 near5 key)) and ((first and second) near key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 14:06
S45	1	"5495533".PN.	USPAT	OR	OFF	2004/07/21 13:17
S46	1	"5212784".PN.	USPAT	OR	OFF	2004/07/21 13:17
S47	1	"5163148".PN.	USPAT	OR	OFF	2004/07/21 13:17
S48	1	"5163148".PN.	USPAT	OR	OFF	2004/07/21 13:18
S49	1	"5155845".PN.	USPAT	OR	OFF	2004/07/21 13:18
S50	1	"5003936".PN.	USPAT	OR	OFF	2004/07/21 13:19
S51	1	"4914576".PN.	USPAT	OR	OFF	2004/07/21 13:19
S52	1	"4819154".PN.	USPAT	OR	OFF	2004/07/21 13:19
S53	1	"5953422".PN.	USPAT	OR	OFF	2004/07/21 13:21
S54	1	"5889860".PN.	USPAT	OR	OFF	2004/07/21 13:22
S55	1	"5870477".PN.	USPAT	OR	OFF	2004/07/21 13:31
S56	1	"5870468".PN.	USPAT	OR	OFF	2004/07/21 13:35
S57	1	"5748735".PN.	USPAT	OR	OFF	2004/07/21 13:36

S58	1	"5555304".PN.	USPAT	OR	OFF	2004/07/21 13:41
S59	6262	((remote or network) near10 (backup or back-up or "back up"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 14:08
S60	6	((remote or network) near10 (backup or back-up or "back up")) and ((bundle or packet) same (compressed near10 files))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 14:11
S61	390298	transmit\$3 near10 data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 14:11
S62	914	(transmit\$3 near10 data) and (backup near5 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 14:12
S63	205	((transmit\$3 near10 data) and (backup near5 server)) and (encrypt\$3 and compres\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 14:12
S64	159	((((transmit\$3 near10 data) and (backup near5 server)) and (encrypt\$3 and compres\$4)) and (password or passphrase or pin)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 14:15
S65	10	(((((transmit\$3 near10 data) and (backup near5 server)) and (encrypt\$3 and compres\$4)) and (password or passphrase or pin)) and (generat\$3 near key) and password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 15:05
S66	1894	client and (backup near10 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 15:05
S67	1	(client and (backup near10 server)) and (authentica\$3 near10 code) and ((password near generated) same (encryption near key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 16:40

S68	5	(backup near10 server) and ((password near generated) same (encryption near key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 16:40
-----	---	---	---	----	----	------------------